**Elettro C.F. s.r.l.**
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

# Les détails du produit:

**Code:** P00490 **Modèle:**PLASMA 75 INVERTER




Tri-phase plasma metal cutting inverter power source. Thanks to its inverter technology combines compact dimensions and low weight with excellent cutting performances, up to 22 mm thick on steel (separation up to 30 mm).
Configuration at delivery including 6 m P70 torch and earth cable.

-Pilot arc
-High-frequency starting
-Mains over-voltage protection,
-Electric protection system on the torch
-Worn out electrode warning
-Compressed air flow control
-Thermal protection by thermostat
-Electronic regulation of cutting current

Different voltages available on request

**Elettro C.F. s.r.l.**
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

## Fiche technique:

| | |
|---|---|
| Code | P00490 |
| Item | PLASMA 75 INVERTER |
| Input Voltage | 3x400V 50-60Hz |
| Absorbed power | 60% 13,5kVA - 100% 10,5kVA |
| Cutting current | 20 ÷ 70 A |
| Duty cycle – 10 MIN CYCLE ACCORDING TO EN 60974-1 | 60% 70A - 100% 55A |
| Air pressure | 4,7 ÷ 4,8 bar |
| Air flow | 180 l/min |
| Cut thickness on steel | 15 - 22 mm |
| Max separation cut | 30 mm |
| Protection class | IP23 |
| Construction standards | EN 60974 – 1 / EN50199 |
| Dimensions | 210x500x370h mm |
| Weight | 21 kg |

**Elettro C.F. s.r.l.**
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

**Accessoires:**



535498 *(optional)* 6 m, P 70 machine torch, central adaptor



535497 6 m, P 70 hand torch, central adaptor



356458 *(optional)* Wheeled torch holder for P50-P70



309461 *(optional)* Wheeled compasses for P50 - P70