Elettro C.F. s.r.l.
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

Les détails du produit:

Code: S07688 - S07687 **Modèle:**SPOTGUN 7000



UNIVERSAL WELDING STATION 8 kVA, PNEUMATIC GUN

This universal welding station SPOTGUN 7000 is particularly suitable for car body repair workshops: resistance spot welding of sheets, sheet straightening with spotter (nails and washers), localised sheets heating (carbon electrode), screws and rivets welding, stainless steel sheet-metals spotting.

•DOUBLE PROGRAM: microprocessor digital control unit with double program enabling the independent use of two functions (GUN-SPOTTER).
•Simultaneous connection of two tools, with automatic recall of the relevant memorized welding program, enabling to save time, avoid errors so to have a simple and safe working process.
•Synchronous SCR welding control unit, time adjustment in cycles and pulses for a greater quality of the welded spot.
•Welding current adjustment and stepping function.
•Easy to use interface.
•SMART GUN: patented pneumatic gun with adjustable stroke and double-function trigger, the first one for clamping only, the second one for welding, when the force at the electrodes is correct.
•Extra-flexible welding cables of professional type, L=1800 mm, 150 mm2
•Epoxy-coated transformers.

Elettro C.F. s.r.l.
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

Fiche technique:

Code	S07688	S07687
Item	SPOTGUN 7000 with transport cart	SPOTGUN 7000 without transport cart
Input Voltage	1x400V 50 Hz	
Number of programs	2	
Force on electrodes	30 ÷ 150 daN	
Nominal power at 50%	8 kVA	
Max. welding power	35 kVA	
Short circuit secondary current	6,4 kA	
Current at 100%	0,88 kA	
Secondary no load voltage	7 V	
Delayed fuses	25 A	
Air pressure	8 bar	
Insulation class	F	
Protection class	IP 21	
Dimensions		mm 330x565x235h
Weight		70 kg

Elettro C.F. s.r.l.
via Miglioli, 24 40024 - Castel San Pietro Terme (Bologna) Italy
Telefono +39 051941453 - +39 0516942026 - FAX +39 051944602
C.F. e Registro Imprese BO n. 00706680378 - P.I. 00521381202 - Capitale Sociale 72.320,00 i.v.

Accessoires:

 337639 Consumables parts for single spot welding

 580001 *(optional)* Transport cart

 338672.S1 Pneumatic SMARTGUN

 338075 Multifunction gun

 333469 Earth cable

 337638 Slide hammer